



Thank you for purchasing my Addams Family Vault mod

If you have any issues please reach out to me on Pinside under “Wolffcub” and I will respond as quick as I can.

Disclaimer:

This modification is not a factory component. Any damage caused to a machine during the installation process, or damage caused to the machine by the modification itself is not to be deemed the modification creators responsibility. By installing this modification, you as the owner of the machine, or the buddy that got suckered into doing it, take full responsibility / ownership of any damage or issues that may arise due to the installation of this modification or outlined installation procedures.

Installation of this mod takes about 15- minutes and some basic tools. I have tested this mod and installed one myself on my machine with no fitment issues.

Tools required:


Philips Screwdriver (medium head), socket driver 5/16” and your brain.

Please read each step fully before proceeding!!!! Each step may have multiple instructions that work hand in hand.

When you unpack the mod you will find the new led bulbs pressed into the vault for shipping reasons and these will need to be removed. Simply gently press them from the front side of the vault and they will fall out the back.


Step 1

Remove the existing plastic that holds the light bracket and the bug plastic by removing the two nuts on the top side.



Step 2

Remove the two screws, nuts and black spacers that hold on the plastic beetle. Retain one of the screws and nuts for the new vault installation.





Step 3

Remove the existing bulbs that you have installed in the light bracket and install the new ones that came with the vault mod. Green to the top and red to the bottom.




Step 4

Carefully take the vault and slide it from the front of the light bracket towards the rear. There is a slot in the bottom corner of the vault to allow the bracket to pass thru. As you slide the vault on watch how the led bulbs will slide into the vault front holes. **Do not** go crazy and press as hard as you can, with gentle pushes the bulbs will go into the holes. Also please do not push from the center of the vault front face, put your fingers around the outer edges to push against. Keep working the bulbs and light bracket in till the bulb skirts hit the inside of the vault



Step 5

Take one of the retained screws and nuts from the beetle plastic and place it thru the vault bottom and the hole in the plastic and snug up the bolt.



Step 6

Reinstall the plastic with the vault on it and reinstall the two nuts to hold the plastic down. YOU ARE FINISHED!!!

